

Audible-signal Appliances

COMPANY

S218

Edwards/Kidde Commercial

8985 Town Center Pkwy
Bradenton, FL 34202 United States

Horn or Horn/LED Strobe accessories, trim skirts, Models *GITR, GIT*%, GITW, EGITR, EGIT*% and EGITW*.

Horn or Horn/LED Strobe accessories, trim skirts, Models *G4TR, G4TW*.

Horn or Horn/LED accessories, room side wiring plates, Models *GP and GRSW*, maybe followed by a numeric value to designate the quantity per package.

Horn or Horn/LED Strobe accessories, trim skirts, Models *GCTR, GCT*%, GCTW, EGCTR, EGCT*% and EGCTW*.

Adaptatone, Series *5530BD-AW, -GR, 5530BDHV-AW, -GR, CS2309B*. For indoor and outdoor use.

Audible signal appliances, bells, Cat. Nos. *434-4E5, -4G5, -4N5, -4R5, -6E5, -4R5-230A, -6R5-230A, -8N5-110A(-R), -8R5-230A, -8R5-230A(-R), -6G5, -6N5, -8G5, -8N5, -8R5, -10G5, -10N5, 434EM-4G5, -4N5, -6G5, -6N5, -8G5, -8N5, -10G5, -10N5, 435-4C1, -4E1, -4G1, -4J1, -4K1, -4P1, -4S1, -6C1, -6E1, -6G1, -6J1, -6K1, -6P1, -6S1, -8C1, -8E1, -8G1, -8J1, -8K1, -8P1, -8S1, -10C1, -10E1, -10G1, -10J1, -10K1, -10P1, -10S1, 438D-6N5(R), -8N5(R), -10N5(R), 439D-6AW(R), -8AW(R), -10AW(R), -6RAU, -10RAU, -74328U, -74330U*.

Audible signal appliances for fire alarm service private mode with signaling appliance for the hearing impaired, Model *757* followed by *-3A, -4A, -5A, -6A, -7A or -8A*, followed by *T or TW*.

Model *XLS757* followed by *-3A, -4A, -5A, -6A, -7A or -8A*, followed by *T or TW*.

Model *INT* followed by *-3A, -4A, -5A, -6A, -7A or -8A*, followed by *T or TW*.

Audible signal appliances for fire alarm service private mode with signaling appliance for the hearing impaired, Model *757* followed by *3A, 5A, 6A, 7A, or 8A*, followed by *CS*, followed by *A through Z*.

Model *2452THS* followed by *-30, -15, -15/75, -110 or -75*, followed by *-R or -W*.

Bells, vibrating, Models *325-4FC, 325G-4FC, 325-6C5, 325G-6C5, 325-10C5, 325G-10C5*.

Buzzers, Models *1064-G5, -N5, -R5, -R5C, 1065-G5, -N5, -R5, 1066-G5, -N5, -R5*.

Chimes, Models *ADTGI-C, ADTGIF-C, ADTGIR-C, ADTGIRF-C, GI-C, GIF-C, GIR-C, GIRF-C, MGI-C, MGIF-C, MGIR-C, MGIRF-C, EGI-C, EGIF-C, EGIR-C, EGIRF-C, XLSGI-C, XLSGIF-C, XLSGIR-C, XLSGIRF-C, GI-C-LG, GIF-C-LG, GIR-C-LG, GIRF-C-LG, ZGI-C, ZGIF-C, ZGIR-C, ZGIRF-C*.

Chimes, indoor use, private mode, Cat. Nos. *721, 722, 921, 922* with suffix *-1* and any letter *A through Z*; Cat. Nos. *757 1A C, 2455C, INT C, XLS757 1A C* followed by any letter *A through Z*.

Chimes/strobes, Models *ADTGI-CVM, ADTGIF-CVM, ADTGIR-CVM, ADTGIRF-CVM, GI-CVM, GIF-CVM, GIR-CVM, GIRF-CVM, GI-CVI575, GIF-CVI575, GIR-CVI575, GIRF-CVI575, MGI-CVM, MGIF-CVM, MGIR-CVM, MGIRF-CVM, MGI-CVI575, MGIF-CVI575, MGIR-CVI575, MGIRF-CVI575, EGI-CVM, EGIF-CVM, EGIR-CVM, EGIRF-CVM, EGI-*

CVI575, EGIF-CVI575, EGIR-CVI575, EGIRF-CVI575, XLSG1-CVM, XLSGIF-CVM, XLSGIR-CVM, XLSGIRF-CVM, GI-CVM-LG, GIF-CVM-LG, GIR-CVM-LG, GIRF-CVM-LG, ZG1-CVM, ZGIF-CVM, ZGIR-CVM, ZGIRF-CVM.

Electronic horns, Models 757-1A-T, 757-1A-TW, INT-T, INT-TW, XLS757-1A-T, XLS757-1A-TW, 2447TH-Rand 2447TH-W.

Cat. Nos. 881, 882 with suffix -1B or -2B; Cat. Nos. 781, 782 with suffix -1 and any letter A through Z. Suitable for outdoor use.

Cat. Nos. 981, 982 with suffix -3 and any letter A through Z. Indoor use only.

Cat. No. 821 or 822 followed by suffix -1, may be followed by suffix A through Z; Cat. No. 2455.

Electronic horns/strobes for private mode signaling, Models GI-HDVM-RCW, GI-HDVM-RCC.

Low Frequency Sounders, Models G4LFWN-H, G4LFWF-H, G4LFRN-H, G4LF*N-H, and G4LF*F-H and G4LFRF-H are intended for indoor use only. * is a alfa character used to designate color.

Low Frequency Sounder/Strobes, Two-wire type, Models G4LFWN-HVM, G4LFWF-HVM, G4LFRN-HVM, G4LF*N-HVM, and G4LF*F-HVM and G4LFRF-HVM are intended for indoor use only * is a alfa character used to designate color.

General signaling equipment, Models CS2310B, 5530B-AQ, 5530BHV-AQ, 5530B-Y6, 5530BHV-Y6, 5530B-N5, 5530BVM-N5, 5531B-AQ, 5531BHV-AQ, 5531B-Y6, 5531BHV-Y6, 5531B-N5, 5540B-AQ, 5540B-N5, 5540B-Y6, 5532B-AQ, 5532BHV-AQ, 5532B-N5, 5532B-Y6, 5532BHV-Y6, 5535-N5, 5535-R5, 5536B-Y6.

Horns, Cat. Nos. 860-E5, -FA, 862-E5, -FA, 864-E5, -FA, 866-E5, -FA, 880D-N5, 882D-N5, 884D-N5, 886D-N5, 894B-007. May be suitable for outdoor use.

Cat. Nos. 870-G5, -N5, -R5, 870P-E5, -G5, -N5, -R5, 872DPO-G5, -N5, -R5, 872-E5, -G5, -N5, -R5, 874-E5, -G5, -N5, -R5, 876-E5, -G5, -N5, -R5. May be suitable for outdoor use.

Models 681-1-002, 681-1-102, 681-1-012, 681-1-112, 682-1-002, 682-1-102, 682-1-012, 682-1-112, 682-1-HR, MH-1AR, 682-1-HW, MH-1AW, 2445.

Models WG4WF-H, WG4RF-H, WG4WN-H, WG4RN-H for indoor or outdoor use when installed with a Model 449 backbox. Suitable for wall/ceiling mount.

Models ZG1-P, ZGIR-P, ZGIF-P, ZGIRF-P, ZG1-HD, ZGIF-HD, ZGIR-HD, ZGIRF-HD, GI-P, GIR-P, GIF-P, GIRF-P, GI-HD, GIF-HD, GIR-HD, GIRF-HD, MG1-P, MGIR-P, MGIF-P, MGIRF-P, MG1-H, MGIR-H, MG1-HD, MGIF-HD, MGIR-HD, MGIRF-HD, EG1-P, EGIR-P, EGIF-P, EGIRF-P, EG1-H, EGIR-H, EG1-HD, EGIF-HD, EGIR-HD, EGIRF-HD, XLSG1-P, XLSGIR-P, XLSGIF-P, XLSGIRF-P, XLSG1-HD, XLSGIF-HD, XLSGIR-HD, XLSGIRF-HD, ADTG1-P, ADTGIR-P, ADTGIF-P, ADTGIRF-P, ADTG1-HD, ADTGIF-HD, ADTGIR-HD, ADTGIRF-HD.

Horns, Models GIA, GIARF, GIARF-C, GIARF-FR, GIARF-SP, GIARN, GIAWF, GIAWF-FR, GIAWF-SP, GIAWN, GIA*%, GIA*F%, GIA*F-FR%, GIA*F-SP%, GIA*N%, EGIA, **EGIARF**, EGIARN, EGIAWF, EGIAWN, EGIA*%, EGIA*F%, EGIA*N% for Indoor dry use and wall or ceiling mount.

Horns, Models GCA, GCAWF, GCAWF-SP, GCARF-SP, GCAWF-FR, GCARF-FR, GCAWN, GCARN, GCARF, GCA*F%, GCA*F-SP%, GCA*F-FR%, GCA*N%, EGCA, EGCAWF, EGCAWF-SP, EGCA*F%, EGCA*F-FR%, EGCA*F-SP%, EGCA*N%, EGCA*F%, EGCA*N% and EGCA*F%.

Horn/LED Strobes, Models GCAV, GCAVWF, GCAVWF-SP, GCAVRF-SP, GCAVWF-FR, GCAVRF-FR, GCAVWN, GCAVRN, GCAVRF, GCAV*%, GCAV*F%, GCAV*F-SP%, GCAV*F-FR%, GCAV*N%, EGCAV, EGCAVWF, EGCAVWN, EGCAVRN, and EGCAVRF, EGCAV*%, EGCAV*F%, and EGCAV*N% for Indoor dry use and wall or ceiling mount.

Horns, Models G4A, G4ARF, G4ARF-FR, G4ARF-SP, G4ARN, G4AWF, G4AWF-FR, G4AWF-SP, and G4AWN, G4A*F%, G4A*F-FR%, G4A*F-SP%, G4A*N%, G4A*%, EG4ARF, EG4ARN, EG4AWF%, EG4A%, EG4AWN, EG4A*%, EG4*F% and EG4*N% for Indoor Wall/Ceiling Mount.

Low Frequency Horns, Models G4LFRF, G4LFRN, G4LFWF, G4LFWN, G4LFRF-FR, G4LFRF-SP, G4LFWF-FR, G4LFWF-SP, G4LF%F, G4LF%N, G4LF%F-FR, G4LF%F-SP, EG4LFRF, EG4LFRN, EG4LFWF, EG4LFWN, EG4LF%F and EG4LF%N, for indoor

dry use and wall mount.

Low Frequency Horns, Models *GCLFRF, GCLFRN, GCLFWF, GCLFWN, GCLFRF-FR, GCLFRF-SP, GCLFWF-FR, GCLFWF-SP, GCLF%F, GCLF%N, GCLF%F-FR, GCLF%F-SP, EGCLFRF, EGCLFRN, EGCLFWF, EGCLFWN, EGCLF*F and EGCLF*N*, for indoor dry use and wall/ceiling mount.

Horn accessories, Cat. Nos. *897-001, -002, -004, -005, -006, -007, -010, -011, -012, -112, 899-001, -002, -003*.

Cat. Nos. "780", "790" series units. Suitable for outdoor use when used with Cat. No. *897-007* back box.

Horn-siren combinations, for indoor use, Models *5520D-AW, 5520D-N5*, for outdoor use when employed with No. 349 back box.

Horn/strobes, Models *ZGI-HDVM, ZGIF-HDVM, ZGIR-HDVM, ZGIRF-HDVM, ZGC-HDVM, ZGCF-HDVM, ZGC-HDVMH, ZGCF-HDVMH, GI-HDVM, GIWA-HDVMA, GIF-HDVM, GIR-HDVM, GIRF-HDVM, GI-HDV1575, GIR-HDV1575, GIF-HDV1575, GIRF-HDV1575, GC-HDVM, GCF-HDVM, GC-HDVMH, GCF-HDVMH, GCFR-HDVM, MGI-HDVM, MGIF-HDVM, MGIR-HDVM, MGIRF-HDVM, MGI-HDV1575, MGIF-HDV1575, MGIR-HDV1575, MGIRF-HDV1575, MGC-HDVM, MGCF-HDVM, MGC-HDVMH, MGCF-HDVMH, MGCFR-HDVM, EGI-HDVM, EGIF-HDVM, EGIR-HDVM, EGIRF-HDVM, EGI-HDV1575, EGIF-HDV1575, EGIR-HDV1575, EGIRF-HDV1575, EGC-HDVM, EGCF-HDVM, EGC-HDVMH, EGCF-HDVMH, EGCFR-HDVM, XLSGI-HDVM, XLSGIF-HDVM, XLSGIR-HDVM, XLSGIRF-HDVM, XLSGC-HDVM, XLSGCF-HDVM, XLSGC-HDVMH, XLSGCF-HDVMH, ADTGI-HDVM, ADTGIF-HDVM, ADTGIR-HDVM, ADTGIRF-HDVM, ADTGC-HDVM, ADTGCF-HDVM, ADTGC-HDVMH, ADTGCF-HDVMH*.

Models *WG4RF-HVMC, WG4RN-HVMC, WG4WF-HVMC, WG4WN-HVMC, WG4RF-HVMHC, WG4RN-HVMHC, WG4WF-HVMHC, WG4WN-HVMHC* for indoor or outdoor use when installed with a Model 449 backbox. Suitable for wall/ceiling mount.

Horn/LED Strobes, Models *GIAV, GIAVRF, GIAVRF-FR, GIAVRF-SP, GIAVRF-C, GIAVRN, GIAVWF, GIAVWF-FR, GIAVWF-SP, GIAVWN, GIAV*%, GIAV*F%, GIAV*F-FR%, GIAV*F-SP%, GIAV*N%, EGIAV, EGIAVRF, EGIAVRN, EGIAVWF, EGIAVWN, EGIAV*%, EGIAV*F% and EGIAV*N%* for Indoor dry use and wall mount.

Models *G4AV, G4AVRF, G4AVRF-FR, G4AVRF-SP, G4AVRN, G4AVWF, G4AVWF-FR, G4AVWF-SP, G4AVWN, G4AV*%, G4AV*F%, G4AV*F-FR%, G4AV*F-SP%, G4AV*N%, EG4AVRF, EG4AVRN, EG4AVWF, EG4AV, EG4AVWN, EG4AV*%, EG4AV*F% and EG4AV*N%* Indoor dry use and wall mount.

Low-Frequency Horn/Strobes, Models *G4LFVRF, G4LFVRN, G4LFVWF, G4LFVWN, G4LFVRF-FR, G4LFVRF-SP, G4LFVWF-FR, G4LFVWF-SP, G4LFV%F, G4LFV%N, G4LFV%F-FR, G4LFV%F-SP, EG4LFVRF, EG4LFVRN, EG4LFVWF, EG4LFVWN, EG4LFV%F and EG4LFV%N*, for indoor dry use and wall mount.

Low-Frequency Horn/Strobes, Models *GCLFVHRF, GCLFVHWF, GCLFVHRN, GCLFVHWN, GCLFVHRF-FR, GCLFVHRF-SP, GCLFVHWF-FR, GCLFVHWF-SP, GCLFVH%F, GCLFVH%N, GCLFVH%F-FR, GCLFVH%F-SP, EGCLFVHRF, EGCLFVHWF, EGCLFVHRN, EGCLFVHWN, EGCLFVH%F and EGCLFVH%N*, for indoor dry use and wall/ceiling mount.

Horns, Models *WGA, WGA RA, WGARF, WGARN, WGA WA, WGA WF, WGA WN, WGARF-FR, WGA WF-FR, WGARF-SP, WGA WF-SP, WGA xxxA, WGA xxxF, WGA xxxN, EWGA, EWGA WF, EWGARF, EWGA WN, EWGA RN, EWGA WA, EWGA RA, EWGA xxxA, EWGA xxxF, EWGA xxxN*. For outdoor wet use, wall and ceiling mount.

Horn/LED Strobes, Models *WGA V, WGA VRA, WGA VRF, WGA VRN, WGA VWA, WGA VWF, WGA VWN, WGA VRF-FR, WGA VWF-FR, WGA VRF-SP, WGA VWF-SP, WGA VxxxA, WGA VxxxF, WGA VxxxN, EWGA V, EWGA VWF, EWGA VRF, EWGA VWN, EWGA VRN, EWGA VWA, EWGA VRA, EWGA VxxxA, EWGA VxxxF, EWGA VxxxN*. For outdoor wet use, wall and ceiling mount.

Signaling appliance accessories, indoor and outdoor back boxes and indoor trim plates, Models *897B-002, 897B-003, 897A-007, 897B-007, 897A-008, 897B-008, 897B-009, 897A-010, 897B-010, 897A-011, 897B-011, 897A-012, 897B-012, 897B-102, 897B-103, 897A-107, 897B-107, 897A-108, 897B-108, 897B-109, 897A-110, 897B-110, 897A-111, 897B-111, 897A-112, 897B-112, 960A-8RF, -4RF, -4SS, -4SF, -8SS, -8SF, 2459-SMB-R, 2459-SMB-W, 2459-WPB-R, 2459-WPB-W, 2459-BDF-R, 2459-BDF-W, 2459T-RR-R, 2459T-RR-W, 2459-RR-R, 2459-RR-W, QSB-108, -104, -124, -114, 54010, 54003, 74466, 74467, GIT, MGIT, EGIT, GIRT, MGIRT, EGIRT, XLSGIT, XLSGIRT, MGIT-FIRE, EGIT-FIRE, XLSGIT-FIRE, MGIRT-FIRE, EGIRT-FIRE, XLSGIRT-FIRE, ADTGIT, ADTGIRT, ADTGIT-FIRE, ADTGIRT-FIRE*.

Signaling appliance accessories, indoor back boxes, Models 27193, 27193-11-NY.

Signaling appliance accessories, indoor and outdoor back boxes, Models 757A-WB, 757A-WBW, 449, 74347U.

Single stroke bells, Cat. Nos. 332D-4N5, -6N5, -10N5, 323D-10AW, 323-10FR, 323D-4AW, 323D-6AW.

Cat. Nos. 332-4E5, -4G5, -4N5, -4R5, -6E5, -6G5, -6N5, -6R5, -10G5, -10N5, -10R5, 332D-4N5, -6NF, -10N5, 333-4E1, -4G1, -4P1, -6E1, -6G1, -6K1, -6P1, -10C1, -10G1, -10P1, -10S1, CS2685.

Horn/Strobe accessories, Models WG4RTS, WG4WTS trim skirts; Model WG4GSKT replacement gasket kit.

Signaling appliance accessory, indoor wall surface mount back box, Models G4WSB, G4RSB, G4xxxSB, EG4WSB, EG4RSB, EG4xxxSB.

Signaling appliance accessory, indoor wall/ceiling surface mount back box, Models GCWSB, GCRSB, GCxxxSB, EGCWSB, EGCRSB, EGCxxxSB.

Signaling appliance accessory, indoor/outdoor adapter plate, Models WGRMA, GWWMA, WGxxxMA, EWGRMA, EWGWMA, EWGxxxMA.

Signaling appliance accessory, Model GRSW Room Side Wiring Plate, maybe followed by a numeric value to designate the quantity per package.

Signaling appliance accessory, Model GOCT Octagon Adapter Plate.

xx = Alphanumeric character which indicate product color and/or lettering.

% = * can be any 3 digit alphanumeric or all numeric characters used to designate custom cover color option other than red or white.

'xxx' is a 3 digit or alpha or alphanumeric designator for custom color options

Trademark and/or Tradename: "Ziton", "GE Security", "Edwards System Technology", "Edwards Signaling", "Edwards Co Inc", "FAST", "Fire Alarm Systems Technology", "GSBS", "G.S. Building Systems Corp.", "Mirtone", "E in a Shield", "Edwards Company Inc.", "GS", "FireworX", "Vigilant", "Sentrol", "ESL", "Kidde", "Interlogix Inc", "GE Security Inc",



Last Updated on 2025-10-24

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2025 UL LLC."