

Signaling Appliances and Equipment for the Hearing Impaired

COMPANY

S218

Edwards/Kidde Commercial

8985 Town Center Pkwy
Bradenton, FL 34202 United States

Audible signal appliances, for fire alarm service private mode with signaling appliance for the hearing impaired Model(s) *2457CS-*, followed by *30, 15, 60, 15/75 or 110*, followed by *A thru Z*.

Audible signal appliances, for fire alarm service private mode with signaling appliance for the hearing impaired Model(s) *757-*, followed by *3A, 5A, 6A, 7A or 8A*, followed by *-CS*, followed by *A thru Z*.

Audible signal appliances, for fire alarm service private mode with signaling appliance for the hearing impaired Model(s) *INT-*, followed by *3AC, 5AC, 6AC, 7AC or 8AC*, followed by *A thru Z*.

Audible signal appliances, for fire alarm service private mode with signaling appliance for the hearing impaired Model(s) *XLS757-*, followed by *3A, 5A, 6A, 7A or 8A*, followed by *-CS*, followed by *A thru Z*.

Audible signal appliances, for fire alarm service with signaling appliance for the hearing impaired Model(s) *2452THS*, followed by *-30, -15, -15/75, -110 or -75*, followed by *-R or -W*.

Audible signal appliances, for fire alarm service with signaling appliance for the hearing impaired Model(s) *757*, followed by *-3A, -4A, -5A, -6A, -7A or -8A*, followed by *-T or -TW*.

Audible signal appliances, for fire alarm service with signaling appliance for the hearing impaired Model(s) *INT*, followed by *-3A, -4A, -5A, -6A, -7A or -8A*, followed by *T or TW*.

Audible signal appliances, for fire alarm service with signaling appliance for the hearing impaired Model(s) *Model 449 backbox*

Audible signal appliances, for fire alarm service with signaling appliance for the hearing impaired Model(s) *XLS757*, followed by *-3A, -4A, -5A, -6A, -7A or -8A*, followed by *-T or -TW*.

Audible signal appliances, for fire alarm service with signaling appliance for the hearing impaired, for wall/ceiling mount Model(s) *WG4RF-HVMC, WG4RF-HVMHC, WG4RN-HVMC, WG4RN-HVMHC, WG4WF-HVMC, WG4WF-HVMHC, WG4WN-HVMC, WG4WN-HVMHC*

Chimes/strobes Model(s) *ADTG1-CVM, ADTGIF-CVM, ADTGIR-CVM, ADTGIRF-CVM, EG1-CV1575, EG1-CVM, EGIF-CV1575, EGIF-CVM, EGIR-CV1575, EGIR-CVM, EGIRF-CV1575, EGIRF-CVM, G1-CV1575, G1-CVM, G1-CVM-LG, GIF-CV1575, GIF-CVM, GIF-CVM-LG, GIR-CV1575, GIR-CVM, GIR-CVM-LG, GIRF-CV1575, GIRF-CVM, GIRF-CVM-LG, MGI-CV1575, MGI-CVM, MGIF-CV1575, MGIF-CVM, MGIR-CV1575, MGIR-CVM, MGIRF-CV1575, MGIRF-CVM, XLSG1-CVM, XLSGIF-CVM, XLSGIR-CVM, XLSGIRF-CVM, ZG1-CVM, ZGIF-CVM, ZGIR-CVM, ZGIRF-CVM*

Edwards Indoor Wall Mount Horn/Strobe Model(s) *G4AV*%, G4AV*F%, G4AV*F-FR%, G4AV*F-SP%, G4AV*N%*

Edwards Indoor Wall Mount Horn/Strobe Models Model(s) *G4AV, G4AVRF, G4AVRF-FR, G4AVRF-SP, G4AVWF, G4AVWF-FR, G4AVWF-SP, G4AVWN*

Edwards Indoor Wall/Ceiling Mount Horn Model(s) *G4A*%, G4A*F%, G4A*F-FR%, G4A*F-SP%, G4A*N%*

Edwards Indoor Wall/Ceiling Mount Horn Models Model(s) *G4A, G4ARF, G4ARF-FR, G4ARF-SP, G4ARN, G4AVRN, G4AWF, G4AWF-FR, G4AWF-SP, G4AWN*

Edwards Indoor Wall/Ceiling Mount Horn/Strobe Model(s) *GCAV*%, GCAV*F%, GCAV*F-FR%, GCAV*F-SP%, GCAV*N%*

Electronic horn/strobes for private mode signaling Model(s) *G1-HOV110R, G1-HDVM-RCC, G1-HDVM-RCW*

Horn Model(s) *G4LF*N-H, and G4LF*F-H(#)*

Horn/LED Strobe Model(s) *EGIAVRF, EGIAVRN, EGIAVWF, EGIAVWN*

Horn/LED Strobe Model(s) *EWGAV, EWGAVWF, EWGAVRF, EWGAVWN, EWGAVRN, EWGAVWA, EWGAVRA, EWGAVxxxA, EWGAVxxxF, EWGAVxxxN*

Horn/LED Strobe Model(s) *GIAVRF, GIAVRF-C, GIAVRF-FR, GIAVRF-SP, GIAVRN, GIAVWF, GIAVWF-FR, GIAVWF-SP, GIAVWN*

Horn/LED Strobe Model(s) *WGAV, WGAVRA, WGAVRF, WGAVRN, WGAVWA, WGAVWF, WGAVWN, WGAVRF-FR, WGAVWF-FR, WGAVRF-SP, WGAVWF-SP, WGAVxxxA, WGAVxxxF, WGAVx*

Horn/LED Strobe accessories, trim skirts Model(s) *EGITR, EGITW, GITR, GITW, GCTR, GCTW, EGCTR, EGCTW*

Horn/LED strobes Model(s) *EGIAV*

Horn/LED strobes Model(s) *GCAV, GCAVWF, GCAVWF-SP, GCAVRF-SP, GCAVWF-FR, GCAVRF-FR, GCAVWN, GCAVRN, GCAVRF, EGCAV, EGCAVWF, EGCAVWN, EGCAVRN, and EGCAVRF for Indoor dry use and wall or ceiling mount.*

Horn/Strobe Model(s) *EGIAV*F%, EGIAV*N%, GIAV*%, GIAV*F%, GIAV*F-FR%, GIAV*F-SP%, GIAV*N%, G4LF*N-HVM, and G4LF*F-HVM (#)*

Horn/Strobe accessories, replacement gasket kits Model(s) *WG4GSKT*

Horn/Strobe accessories, trim skirts Model(s) *WG4RTS, WG4WTS*

Horn/strobes Model(s) *ADTGI-HDVM, ADTGI-HOV110, ADTGI-HOV15, ADTGI-HOV30, ADTGI-HOV60, ADTGI-HOV75, ADTGIF-HDVM, ADTGIF-HOV110, ADTGIF-HOV15, ADTGIF-HOV30, ADTGIF-HOV60, ADTGIF-HOV75, ADTGIR-HDVM, ADTGIR-HOV110, ADTGIR-HOV15, ADTGIR-HOV30, ADTGIR-HOV60, ADTGIR-HOV75, ADTGIRF-HDVM, ADTGIRF-HOV110, ADTGIRF-HOV15, ADTGIRF-HOV30, ADTGIRF-HOV60, ADTGIRF-HOV75, ADTGC-HDVM, ADTGC-HDVMH, ADTGCF-HDVM, ADTGCF-HDVMH, EG1*-HDV1575(@), EG1*-HDVM(@), EG1*F-HDV1575(@), EG1*F-HDVM(@), EG1-HOV110, EG1-HOV15, EG1-HOV30, EG1-HOV60, EG1-HOV75, EG1F-HOV110, EG1F-HOV15, EG1F-HOV30, EG1F-HOV60, EG1F-HOV75, EG1R-HDV1575, EG1R-HDVM, EG1R-HOV110, EG1R-HOV15, EG1R-HOV30, EG1R-HOV60, EG1R-HOV75, EG1RF-HDV1575, EG1RF-HDVM, EG1RF-HOV110, EG1RF-HOV15, EG1RF-HOV30, EG1RF-HOV60, EG1RF-HOV75, EGC*-HDVM(@), EGC*-HDVMH(@), EGCF*-HDVM(@), EGCF*-HDVMH(@), EGCFR-HDVM, G1*-HDV1575, G1*-HDVM(@), G1*F-HDV1575(@), G1*F-HDVM(@), G1-HOV110, G1-HOV110-LG, G1-HOV15, G1-HOV15-LG, G1-HOV30, G1-HOV30-LG, G1-HOV60, G1-HOV60-LG, G1-HOV75, G1-HOV75-LG, G1F-HOV110, G1F-HOV110-LG, G1F-HOV15, G1F-HOV15-LG, G1F-HOV30, G1F-HOV30-LG, G1F-HOV60, G1F-HOV60-LG, G1F-HOV75, G1F-HOV75-LG, G1R-HDV1575, G1R-HDVM, G1R-HOV110, G1R-HOV110-LG, G1R-HOV15, G1R-HOV15-LG, G1R-HOV30, G1R-HOV30-LG, G1R-HOV60, G1R-HOV60-LG, G1R-HOV75, G1R-HOV75-LG, G1RF-HDV1575, G1RF-HDVM, G1RF-HOV110, G1RF-HOV110-LG, G1RF-HOV15, G1RF-HOV15-LG, G1RF-HOV30, G1RF-HOV30-LG, G1RF-HOV60, G1RF-HOV60-LG, G1RF-HOV75, GC*-HDVM(@), GC*-HDVMH(@), GC*F-HDVM(@), GCF*-HDVMH(@), GCFR-HDVM, G1RF-HOV75-LG, MG1-HDV1575, MG1-HDVM, MG1-HOV110, MG1-HOV15, MG1-HOV30, MG1-HOV60, MG1-HOV75, MG1F-HDV1575, MG1F-HDVM, MG1F-HOV110, MG1F-HOV15, MG1F-HOV30, MG1F-HOV60, MG1F-HOV75, MG1R-HDV1575, MG1R-HDVM, MG1R-HOV110, MG1R-HOV15, MG1R-HOV30, MG1R-HOV60, MG1R-HOV75, MG1RF-HDV1575, MG1RF-HDVM, MG1RF-HOV110, MG1RF-HOV15, MG1RF-HOV30, MG1RF-HOV60, MG1RF-HOV75, MGC-HDVM, MGC-HDVMH, MGCF-HDVM, MGCF-HDVMH, MGCFR-HDVM, XLSGI-HDVM, XLSGI-HOV110, XLSGI-HOV15, XLSGI-HOV30, XLSGI-HOV60, XLSGI-HOV75, XLSGIF-HDVM, XLSGIF-HOV110, XLSGIF-HOV15, XLSGIF-HOV30, XLSGIF-HOV60, XLSGIF-HOV75, XLSGIR-HDVM, XLSGIR-HOV110, XLSGIR-HOV15, XLSGIR-HOV30,*

XLSGIR-HOV60, XLSGIR-HOV75, XLSGIRF-HDVM, XLSGIRF-HOV110, XLSGIRF-HOV15, XLSGIRF-HOV30, XLSGIRF-HOV60, XLSGIRF-HOV75, XLSGC-HDVM, XLSGC-HDVMH, XLSGCF-HDVM, XLSGCF-HDVMH, ZG1-HDVM, ZG1-HOV110, ZG1-HOV15, ZG1-HOV30, ZG1-HOV60, ZG1-HOV75, ZGIF-HDVM, ZGIF-HOV110, ZGIF-HOV15, ZGIF-HOV30, ZGIF-HOV60, ZGIF-HOV75, ZGIR-HDVM, ZGIR-HOV110, ZGIR-HOV15, ZGIR-HOV30, ZGIR-HOV60, ZGIR-HOV75, ZGIRF-HDVM, ZGIRF-HOV110, ZGIRF-HOV15, ZGIRF-HOV30, ZGIRF-HOV60, ZGIRF-HOV75, ZGC-HDVM, ZGC-HDVMH, ZGCF-HDVM, ZGCF-HDVMH

Horns Model(s) *ADTG1-H, ADTG1-HD, ADTG1-HO, ADTG1-P, ADTGIF-HD, ADTGIF-HO, ADTGIF-P, ADTGIR-H, ADTGIR-HD, ADTGIR-HO, ADTGIR-P, ADTGIRF-HD, ADTGIRF-HO, ADTGIRF-P, EG1*-HD(@), EG1*-P(@), EG1*F-HD(@), EG1*F-P(@), EG1-H, EG1-HO, EGIF-HO, EGIR-H, EGIR-HD, EGIR-P, EGIRF-HD, EGIRF-HO, EGIRF-P, EGIR-HO, G1*-HD(@), G1*-P(@), G1*F-HD(@), G1*F-P(@), G1-H, G1-H-LG, G1-HD-LG, G1-HO, G1-HO-LG, G1F-HD-LG, G1F-HO, G1F-HO-LG, G1R-H, G1R-H-LG, G1R-HD, G1R-HD-LG, G1R-HO, G1R-HO-LG, G1R-P, G1RF-HD, G1RF-HD-LG, G1RF-HO, G1RF-HO-LG, G1RF-P, MG1-H, MG1-HD, MG1-HO, MG1-P, MG1F-HD, MG1F-HO, MG1F-P, MG1R-H, MG1R-HD, MG1R-HO, MG1R-P, MG1RF-HD, MG1RF-HO, MG1RF-P, XLSG1-H, XLSG1-HD, XLSG1-HO, XLSG1-P, XLSG1F-HD, XLSG1F-HO, XLSG1F-P, XLSG1R-H, XLSG1R-HD, XLSG1R-HO, XLSG1R-P, XLSG1RF-HD, XLSG1RF-HO, XLSG1RF-P, ZG1-H, ZG1-HO, ZG1-HD, ZG1-P, ZG1F-HO, ZG1F-HD, ZG1F-P, ZG1R-H, ZG1R-HO, ZG1R-HD, ZG1R-P, ZG1RF-HO, ZG1RF-HD, ZG1RF-P*

Kidde Indoor Wall/Ceiling Mount Horn Model(s) *EG4A, EG4A*%, EG4A*F%, EG4A*N%, EG4ARF, EG4ARN, EG4AV, EG4AV*%, EG4AV*F%, EG4AV*N%, EG4AVRF, EG4AVRN, EG4AVWF, EG4AVWN, EG4AWF, EG4AWN*

KIDDE Indoor Wall/Ceiling Mount Horn/Strobe Model(s) *EGCAV*%, EGCAV*F%, EGCAV*N%*

Low Frequency Horn/Strobe Model(s) *G4LFVRF, G4LFVRN, G4LFVWF, G4LFVWN, G4LFVRF-FR, G4LFVRF-SP, G4LFVWF-FR, G4LFVWF-SP, G4LFV%F, G4LFV%N, G4LFV%F-FR, G4LFV%F-SP, EG4LFVRF, EG4LFVRN, EG4LFVWF, EG4LFVWN, EG4LFV%F and EG4LFV%N*

Low Frequency Horn/Strobe Model(s) *GCLFVHRF, GCLFVHWF, GCLFVHRN, GCLFVHWN, GCLFVHRF-FR, GCLFVHRF-SP, GCLFVHWF-FR, GCLFVHWF-SP, GCLFVH%F, GCLFVH%N, GCLFVH%F-FR, GCLFVH%F-SP, EGCLFVHRF, EGCLFVHWF, EGCLFVHRN, EGCLFVHWN, EGCLFVH%F and EGCLFVH%N*

Signaling appliance accessory, adapter plates Model(s) *GOCT, WGRMA, GWWMA, WGxxxMA, EWGRMA, EWGWMA, EWGxxxMA*

Signaling appliance accessory, back box Model(s) *449, 74347U*

Signaling appliance accessory, indoor wall surface mount back box, Edwards Model(s) *G4RSB, G4WSB, G4xxxSB*

Signaling appliance accessory, indoor wall surface mount back box, Kidde Model(s) *EG4RSB, EG4WSB, EG4xxxSB*

Signaling appliance accessory, room side wiring plate Model(s) *GP, may be followed by a numeric value to designate the quantity per package*

Signaling appliance accessory, room side wiring plate Model(s) *GRSW, may be followed by a numeric value to designate the quantity per package*

Signaling appliance accessory, wall/ceiling back box Model(s) *GCWSB, GCRSB, GCxxxSB, EGCWSB, EGCRSB, EGCxxxSB*

Trim Skirt Model(s) *EGIT*%, EGCT*%, GIT*%, GCT*%*

USL-2, CNL-2 Edwards Trim Skirt Models Model(s) *G4TR, G4TW*

- * is a alfa character used to designate color.

% - * can be any 3 digit alphanumeric or all numeric characters used to designate custom cover color option other than red or white.

@ - * refers to a alfa character to indicate either a white or another color housing

xxx – A 3 digit or alpha or alphanumeric designator for custom color options

Trademark and/or Tradename: "Dukane", "E in a Shield", "ESL", "Edwards", "Edwards Co Inc", "Edwards Company Inc.", "Edwards Signaling", "Edwards System Technology", "FAST", "Fire Alarm Systems Technology", "FireworX", "G.S. Building Systems Corp.", "GE Security", "GE Security Inc", "GS", "GSBS", "Interlogix Inc", "Kidde", "Kidde Commercial",



Last Updated on 2025-09-23

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow – Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow – Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2025 UL LLC."