

Visual-signal Appliances for Fire-protective Signaling Systems

COMPANY**S218****Edwards/Kidde Commercial**

8985 Town Center Pkwy
Bradenton, FL 34202 United States

Audible signal appliance for fire alarm service with signaling appliance for the hearing impaired, Model 757 followed by -3A, -4A, -5A, -6A, -7A or -8A, followed by -T or -TW.

Model *XLS757* followed by -3A, -4A, -5A, -6A, -7A or -8A, followed by -T or -TW. USL

Model *INT* followed by -3A, -4A, -5A, -6A, -7A or -8A, followed by -T or -TW.

Models *WG4RF-HVMC*, *WG4RN-HVMC*, *WG4WF-HVMC*, *WG4WN-HVMC*, *WG4RF-HVMHC*, *WG4RN-HVMHC*, *WG4WF-HVMHC*, *WG4WN-HVMHC* for indoor or outdoor use when installed with a Model 449 backbox. Suitable for wall/ceiling mount.

Audible signal appliance for fire alarm service private mode with signaling appliance for the hearing impaired Model 757- followed by 3A, 5A, 6A, 7A or 8A, followed by -CS, followed by A through Z.

Model *XLS757*- followed by 3A, 5A, 6A, 7A or 8A, followed by -CS, followed by A through Z.

Model *INT*- followed by 3AC, 5AC, 6AC, 7AC or 8AC, followed by A through Z.

Model *2457CS*- followed by 30, 15, 60, 15/75 or 110, followed by A through Z.

Chimes, Models *ADTGI-C*, *ADTGIF-C*, *ADTGIR-C*, *ADTGIRF-C*, *GI-C*, *GIF-C*, *GIR-C*, *GIRF-C*, *MGI-C*, *MGIF-C*, *MGIR-C*, *MGIRF-C*, *EGI-C*, *EGIF-C*, *EGIR-C*, *EGIRF-C*, *XLSGI-C*, *XLSGIF-C*, *XLSGIR-C*, *XLSGIRF-C*.

Chimes/strobes, Models *ADTGI-CVM*, *ADTGIF-CVM*, *ADTGIR-CVM*, *ADTGIRF-CVM*, *GI-CVM*, *GIF-CVM*, *GIR-CVM*, *GIRF-CVM*, *GI-CVI575*, *GIF-CVI575*, *GIR-CVI575*, *GIRF-CVI575*, *MGI-CVM*, *MGIF-CVM*, *MGIR-CVM*, *MGIRF-CVM*, *MGI-CVI575*, *MGIF-CVI575*, *MGIR-CVI575*, *MGIRF-CVI575*, *EGI-CVM*, *EGIF-CVM*, *EGIR-CVM*, *EGIRF-CVM*, *EGI-CVI575*, *EGIF-CVI575*, *EGIR-CVI575*, *EGIRF-CVI575*, *XLSGI-CVM*, *XLSGIF-CVM*, *XLSGIR-CVM*, *XLSGIRF-CVM*.

Electronic horn/strobe for private mode signaling, Models *G1-H0V110R*, *G1-HDVM-RCW*, *G1-HDVM-RCC*.

Horns, Models *G1-P*, *G1R-P*, *G1F-P*, *G1RF-P*, *G1-HD*, *G1F-HD*, *G1R-HD*, *G1RF-HD*, *MGI-P*, *MGIR-P*, *MGIF-P*, *MGIRF-P*, *MGI-HD*, *MGIF-HD*, *MGIR-HD*, *MGIRF-HD*, *EGI-P*, *EGIR-P*, *EGIF-P*, *EGIRF-P*, *EGI-HD*, *EGIF-HD*, *EGIR-HD*, *EGIRF-HD*, *XLSGI-P*, *XLSGIR-P*, *XLSGIF-P*, *XLSGIRF-P*, *XLSGI-HD*, *XLSGIF-HD*, *XLSGIR-HD*, *XLSGIRF-HD*, *G1R-HO-LG*, *G1F-HO-LG*, *G1RF-HO-LG*, *ADTGI-P*, *ADTGIR-P*, *ADTGIF-P*, *ADTGIRF-P*, *ADTGI-HD*, *ADTGIF-HD*, *ADTGIR-HD*, *ADTGIRF-HD*.

Horn/strobes, Models *G1-HDVM*, *G1F-HDVM*, *G1R-HDVM*, *G1RF-HDVM*, *G1-HDVI575*, *G1R-HDVI575*, *G1F-HDVI575*, *G1RF-HDVI575*, *GC-HDVM*, *GCF-HDVM*, *GC-HDVMH*, *GCF-HDVMH*, *GCFR-HDVM*, *MGI-HDVM*, *MGIF-HDVM*, *MGIR-HDVM*, *MGIRF-HDVM*, *MGI-HDVI575*, *MGIF-HDVI575*, *MGIR-HDVI575*, *MGIRF-HDVI575*, *MGC-HDVM*, *MGCF-HDVM*, *MGC-HDVMH*, *MGCF-HDVMH*, *MGCFR-HDVM*, *XLSGI-HOVI5*, *XLSGIR-HOVI5*, *EGI-HDVM*, *EGIF-HDVM*, *EGIR-HDVM*,

EGIRF-HDVM, EGI-HDVI575, EGIF-HDVI575, EGIR-HDVI575, EGIRF-HDVI575, EGC-HDVM, EGCF-HDVM, EGC-HDVMH, EGCF-HDVMH, EGCFR-HDVM, XLSGI-HDVM, XLSGIF-HDVM, XLSGIR-HDVM, XLSGIRF-HDVM, XLSGC-HDVM, XLSGCF-HDVM, XLSGC-HDVMH, XLSGCF-HDVMH, ADTGI-HDVM, ADTGIF-HDVM, ADTGIR-HDVM, ADTGIRF-HDVM, ADTGC-HDVM, ADTGCF-HDVM, ADTGC-HDVMH, ADTGCF-HDVMH, GCA, GCAWF, GCAWF-SP, GCARF-SP, GCAWF-FR, GCARF-FR, GCAWN, GCARN, GCARF, GCAV%, GCAV*F%, GCAV*F-SP%, GCAV*F-FR%, GCAV*N%, EGCA, EGCAWF, EGCAWF, EGCAV, EGCAVWF, EGCAVWN, EGCAVRN, EGCAVRF, EGCAV*%, EGCAV*F%, and EGCAV*N%.*

Horn/LED Strobes, Models *GCAV, GCAVWF, GCAVWF-SP, GCAVRF-SP, GCAVWF-FR, GCAVRF-FR, GCAVWN, GCAVRN, GCAVRF, EGCAV, EGCAVWF, EGCAVWN, EGCAVRN, EGCAVRF.*

Horn/LED Strobes, Models *GIAV, GIAVWF, GIAVWF-SP, GIAVRF-SP, GIAVWF-FR, GIAVRF-FR, GIAVWN, GIAVRF-C, GIAVRN, GIAVRF, GIAV*%, GIAV*F%, GIAV*F-FR%, GIAV*F-SP%, GIAV*N%, EGIAV, EGIAVWF, and **EGIAVRF**, EGIAV*%, EGIAV*F%, EGIAV*N%.*

Horn/LED Strobes, Models *G4AV, G4AVWF, G4AVWF-SP, G4AVRF-SP, G4AVWF-FR, G4AVRF-FR, G4AVWN, G4AVRN, G4AVRF, G4AV*%, G4AV*F, G4AV*F-FR%, G4AV*F-SP%, G4AV*N%, EG4AVRF, EG4AVRN, EG4AVWF, EG4AV, EG4AVWN, EG4AV*%, EG4AV*F% and EG4AV*N%.*

Horn/LED Strobes, Models *WGAV, WGAVRA, WGAVRF, WGAVRN, WGAVWA, WGAVWF, WGAVWN, WGAVRF-FR, WGAVWF-FR, WGAVRF-SP, WGAVWF-SP, WGAVxxxA, WGAVxxxF, WGAVxxxN, EWGAV, EWGAVWF, **EWGAVRF**, EWGAVWN, EWGAVRN, EWGAVWA, EWGAVRA, EWGAVxxxA, EWGAVxxxF, EWGAVxxxN.* For outdoor wet use, wall and ceiling mount.

Low-Frequency Horn/Strobes, Models *G4LFVRF, G4LFVRN, G4LFVWF, G4LFVWN, G4LFVRF-FR, G4LFVRF-SP, G4LFVWF-FR, G4LFVWF-SP, G4LFV%F, G4LFV%N, G4LFV%F-FR, G4LFV%F-SP, EG4LFVRF, EG4LFVRN, EG4LFVWF, EG4LFVWN, EG4LFV%F and EG4LFV%N,* for indoor dry use and wall mount.

Low-Frequency Horn/Strobes, Models *GCLFVHRF, GCLFVHWF, GCLFVHRN, GCLFVHWN, GCLFVHRF-FR, GCLFVHRF-SP, GCLFVHWF-FR, GCLFVHWF-SP, GCLFVH%F, GCLFVH%N, GCLFVH%F-FR, GCLFVH%F-SP, EGCLFVHRF, EGCLFVHWF, EGCLFVHRN, EGCLFVHWN, EGCLFVH%F and EGCLFVH%N,* for indoor dry use and wall/ceiling mount.

Signaling appliance accessory, indoor and outdoor back boxes, and indoor trim plates, Models *897B-002, 897B-003, 897A-007, 897B-007, 897A-008, 897B-008, 897B-009, 897A-010, 897B-010, 897A-011, 897B-011, 897A-012, 897B-012, 897B-102, 897B-103, 897A-107, 897B-107, 897A-108, 897B-108, 897B-109, 897A-110, 897B-110, 897A-111, 897B-111, 897A-112, 897B-112, 960A-8RF, -4RF, -4SS, -4SF, -8SS, -8SF, 757A-SB, 757A-SBW, 757A-BDFW, 757A-BDF, QSB-108, -104, -124, -114, 54010, 54003, 757A-RR2, 757A-RR2W, 757A-RR, 757A-RRW, 757A-RR2W, 74466, 74467, GIT, MGIT, EGIT, ZGIT, ZGIRT, GIRT, MGIRT, EGIRT, XLSGIT, XLSGIRT, GIT-FIRE, MGIT-FIRE, ZGIT-FIRE, ZGOT-FIRE, EGIT-FIRE, XLSGIT-FIRE, GIRT-FIRE, MGIRT-FIRE, EGIRT-FIRE, ZGIRT-FIRE, XLSGIRT-FIRE, ADTGIT, ADTGIRT, ADTGIT-FIRE, ADTGIRT-FIRE.*

Signaling appliance accessories, indoor back boxes, Models *27193, 27193-11-NY.*

Signaling appliance accessories, indoor and outdoor back boxes, Models *757A-WB, 757A-WBW, 449, **74347U.***

Horn/Strobe accessories, Models *WG4RTS, WG4WTS* trim skirts; Model *WG4GSKT* replacement gasket kit.

Horn/LED Strobe accessories, trim skirts, Models *GITR, GIT*%, GITW, EGITR, EGIT*% and EGITW.*

Horn/LED Strobe accessories, trim skirts, Models *G4TR, G4TW.*

Horn/LED accessories, room side wiring plates, Models *GP and GRSW*, maybe followed by a numeric value to designate the quantity per package

Horn/LED Strobe accessories, trim skirts, Models *GCTR, GCT*%, GCTW, EGCTR, EGCT*% and EGCTW.*

Signaling appliance accessory, indoor wall surface mount back box, Models *G4WSB, G4RSB, G4xxxSB, EG4WSB, EG4RSB, EG4xxxSB.*

Signaling appliance accessory, indoor wall/ceiling surface mount back box, Models *GCWSB, GCRSB, GCxxxSB, EGCWSB, EGCRSB, EGCxxxSB.*

Signaling appliance accessory, indoor/outdoor adapter plate, Models *WGRMA*, *WGWMA*, *WGxxxMA*, ***EWGRMA***, *EWGWMA*, *EWGxxxMA*

Signaling appliance accessory, Model *GRSW* Room Side Wiring Plate, maybe followed by a numeric value to designate the quantity per package.

Signaling appliance accessory, Model *GOCT* Octagon Adapter Plate.

% = * can be any 3 digit alphanumeric or all numeric characters used to designate custom cover color option other than red or white.

'xxx' is a 3 digit or alpha or alphanumeric designator for custom color options

Trademark and/or Tradename: "Ziton", "GE Security", "Edwards System Technology", "Edwards Signaling", "Edwards Co Inc", "FAST", "Fire Alarm Systems Technology", "GSBS", "G.S. Building Systems Corp.", "Kidde", "Mirtone", "E in a Shield", "Edwards Company Inc.", "GS", "FireworX", "Vigilant", "Sentrol", "ESL", "Interlogix Inc", "Walter Kidde



Last Updated on 2025-10-24

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2025 UL LLC."